

PassleaderVCE

PassLeaderVCE

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Wonderful Certification Exam Guide and Exam Dumps - PassLeaderVCE

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about PassLeaderVCE Practice Material ...

49316+ customers in 100+ countries use PassLeaderVCE Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleadervce.com/>

Wonderful Certification Exam Guide and Exam Dumps- PassLeaderVCE

Exam : **1z0-344**

Title : JD Edwards EnterpriseOne
Configurable Network
Computing 9.2
Implementation Essentials

Vendor : Oracle

Version : DEMO

NO.1 The ACME company Upgrades Its DV910 path code to DV920. After the upgrade, the company performs a database backup, and then converts its "Business data - TEST" and "Control tables - TEST" data sources to Unicode. However, after running the Unicode aversion, the company decides to roll back the conversion.

Which two options are required to roll back the Unicode conversion?

- A.** Perform a Data-Only upgrade again from DV910 to DV920.
- B.** Remove the Unicode flag on the "Business data - TEST" and "Control tables - TEST" data sources in "Server Map."
- C.** Remove the Unicode flag on the "Business data - TEST" and "Control tables TEST" data sources in "System - 920" and "System - Local."
- D.** Remove the Unicode flag on the "Business data - TEST" and "Control tables - TEST" data sources In "System - 920."
- E.** Restore "Business data - TEST" and "Control tables - TEST" from the backup that was taken before conversion.

Answer: E

NO.2 You are Setting up Oracle Access Manager (OAM) to support an EnterpriseOne single sign-On configuration.

What is the EnterpriseOne SSO parameter configuration required on the Responses on the tab of the protected Resource policy?

- A.** Type = Header, Name =SSO_JDE_UID, and Value = /jde/HostedE1Servlet
- B.** Type = Header, Name=SSO_JDE_ UID, and Value = /jde/E1Menue.maf
- C.** Type = Header, Name =JDE_SSO_UID, and Value = \$use. userid
- D.** Type = Header, Name = SSO_JDE_UID<and Value= /jde/HostedE1Servlet
- E.** Type = Heade , Name =JDE_SSO_UID, and Value = userid \$user

Answer: C

Explanation

https://docs.oracle.com/cd/E53430_01/EOTSC/sso_with_oam_11g_r2.htm

NO.3 Using Tools Release 9.2.0.x, you have built a full server package called DV920FUIL for the DV920 pathcode.

You find that several business functions (BSFN) built with errors on the R9621S pdf. Which two are correct about troubleshooting BSFN errors for the server package?

- A.** BSFN build errors are found in files in the following folder on Deployment Server:
DV920\PACKAGE\DV920FULL\work.
- B.** NER build errors are found in files in the following folder on Deployment Server:
DV920\PACKAGE\DV920FULL\GENNER.
- C.** NER generation errors are found in files in the following folder on Enterprise Server:
packages\DV920FULL\GenerateNER_logs
- D.** BSFN and NER build errors are found in files in the following folder on Enterprise Server:
packages\DV920FULL\work.
- E.** BSFN build errors are found in files In the following folder on Enterprise Server:
Packages\DV920FULL\compileLogs Name].

Answer: B,E

NO.4 Which of the following JDE> INI settings is responsible for the automatic restart of the scheduler at the time of EnterpriseOne service Restart?

- A. automaticRestartScheduler
- B. maxNumberOfprocesses
- C. beginningMsgTYpeRange
- D. numberOf AutoStartprocesses
- E. newprocessThresholdResquestts

Answer: D

Explanation

https://docs.oracle.com/cd/E17984_01/doc.898/e14721/scheduler_application.htm

NO.5 While you were deploying the UBE+AAP package, users were unable to run any application from the HTML, However, after the package deployment was complete, users able to run the same application.

What is the reason for this glitch?

- A. the server manager agent was restart during the package deployment.
- B. the HTML server was restarted during the package deployment.
- C. the HTML server was unable to poll relevant tables for a package change during the package deployment.
- D. the enterprise server is put in a locked state during package deployment where all JD Edwards EnterpriseOne users are prevented from running any applications. After the package is deployment, the state of the enterprise server changes to Available and users run their application again.

Answer: D

NO.6 The ACME company plans to upgrade from DV910 to DV920. For better performance, the company decides to run the upgrade table conversions on the enterprise server Instead of the deployment server. Which of the following is a prerequisite to running table conversions on the enterprise server?

- A. installing JDBC drivers
- B. installing the certified Visual Studio redistributable package
- C. installing the Pristine path code on the enterprise server and marking the default environment in JDINI as a Pristine environment
- D. creating a default UBE OCM mapping that points to the enterprise server under the JDEPLAN (Planner) environment
- E. configuring additional job queues

Answer: C

NO.7 Which two tables are regularly polled by HTML servers to check for any change in the deployed package?

- A. F9651
- B. F96511
- C. F986

D. F9860

E. F98611

Answer: A,B

NO.8 Which two components are required to create a Business Services Server instance?

A. JDeveloper

B. Business Services Server installation .PAR file

C. J2EE Application Server: WebSphere or WebLogic

D. J2EE Application Server Container

E. JDBC driver

Answer: C,E