

PassleaderVCE

PassLeaderVCE

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Wonderful Certification Exam Guide and Exam Dumps - PassLeaderVCE

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about PassLeaderVCE Practice Material ...

49316+ customers in 100+ countries use PassLeaderVCE Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleadervce.com/>

Wonderful Certification Exam Guide and Exam Dumps- PassLeaderVCE

Exam : **70-515-VB**

Title : Web Applications
Development with Microsoft
VB.NET Framework 4
Practice Test

Vendors : Microsoft

Version : DEMO

NO.1 You are creating an ASP.NET Web site. The site has a master page named Custom.master. The code-behind file for Custom.master contains the following code segment.

```
Partial Public Class Custom
Inherits System.Web.UI.MasterPage
Public Property Region As String
Protected Sub Page_Load(ByVal sender As Object,
ByVal e As System.EventArgs) Handles Me.Load
End Sub
End Class
```

You create a new ASP.NET page and specify Custom.master as its master page.

You add a Label control named lblRegion to the new page.

You need to display the value of the master pages Region property in lblRegion. What should you do?

- A. Add the following code segment to the Page_Load method of the page code-behind file. Dim custom As Custom = Me.Parent lblRegion.Text = custom.Region
- B. Add the following code segment to the Page_Load method of the page code-behind file. Dim custom As Custom = Me.Master lblRegion.Text = custom.Region
- C. Add the following code segment to the Page_Load method of the Custom.Master.vb code-behind file. Dim lblRegion As Label = Page.FindControl("lblRegion") lblRegion.Text = Me.Region
- D. Add the following code segment to the Page_Load method of the Custom.Master.vb code-behind file. Dim lblRegion As Label = Master.FindControl("lblRegion") lblRegion.Text = Me.Region

Answer: B

NO.2 You have created an ASP.NET server control named ShoppingCart for use by other developers. Some developers report that the ShoppingCart control does not function properly with ViewState disabled. You want to ensure that all instances of the ShoppingCart control work even if ViewState is disabled. What should you do?

- A. Require developers to set EnableViewStateMac to true.
- B. Store state in ControlState instead of ViewState.
- C. Serialize the state into an Application state entry called "MyControl".
- D. Require developers to change the session state mode to SQLServer.

Answer: B

NO.3 You are implementing an ASP.NET Web site that will be accessed by an international audience. The site contains global and local resources for display elements that must be translated into the language that is selected by the user. You need to ensure that the Label control named lblCompany displays text in the users selected language from the global resource file. Which control markup should you use?

- A. <asp:Label ID="lblCompany" runat="server" meta:resourcekey="lblCompany" />
- B. <asp:Label ID="lblCompany" runat="server" Text="meta:lblCompany.Text" />

C. <asp:Label ID="lblCompany" runat="server" Text="<%\$ Resources:lblCompanyText %>" /> D. <asp:Label ID="lblCompany" runat="server" Text="<%\$ Resources:WebResources, lblCompanyText %>" />

Answer: D

NO.4 You are developing an ASP.NET Web page that contains input controls, validation controls, and a button named btnSubmit. The page has the following code-behind. (Line numbers are included for reference only.)

```
01 Public Class _Default
02 Inherits System.Web.UI.Page
03
04 Protected Sub SaveToDatabase()
05
06 End Sub
07
08 Protected Sub btnSubmit_Click(ByVal sender As Object,
09 ByVal e As EventArgs) Handles btnSubmit.Click
10
11 End Sub
12
13 End Class
```

You need to ensure that all data that is submitted passes validation before the data is saved in a database. What should you do?

A. Add the following method override.

```
Protected Overrides Sub OnInit(ByVal e As EventArgs) MyBase.OnInit(e)
If (Page.IsValid) Then Me.SaveToDatabase() End Sub
```

B. Add the following method override.

```
Protected Overrides Sub OnLoad(ByVal e As EventArgs) MyBase.OnLoad(e)
If (Page.IsValid) Then Me.SaveToDatabase() End Sub
```

C. Add the following method override.

```
Protected Overrides Sub OnPreRender(ByVal e As EventArgs)
MyBase.OnPreRender(e)
If(Page.IsValid) Then Me.SaveToDatabase() End Sub
```

D. Add the following code segment at line 10. If (Page.IsValid) Then Me.SaveToDatabase()

Answer: D

NO.5 You are implementing an ASP.NET application that uses data-bound GridView controls in multiple pages. You add JavaScript code to periodically update specific types of data items in these GridView controls. You need to ensure that the JavaScript code can locate the HTML elements created for each row in these GridView controls, without needing to be changed if the controls are moved from one page to another. What should you do?

A. Replace the GridView control with a ListView control.

- B. Set the ClientIDMode attribute to Predictable in the web.config file.
- C. Set the ClientIDRowSuffixattribute of each unique GridView control to a different value.
- D. Set the @ OutputCache directives VaryByControl attribute to the ID of the GridView control.

Answer: B