

PassleaderVCE

PassLeaderVCE

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Wonderful Certification Exam Guide and Exam Dumps - PassLeaderVCE

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about PassLeaderVCE Practice Material ...

49316+ customers in 100+ countries use PassLeaderVCE Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleadervce.com/>

Wonderful Certification Exam Guide and Exam Dumps- PassLeaderVCE

Exam : **H19-401_V1.0**

Title : HCSP-Presales-Campus
Network Planning and Design
V1.0

Vendor : Huawei

Version : DEMO

NO.1 OceanStor Dorado adopts SAN&NAS converged architecture, and LUNs and file systems can be created in the same resource pool.

- A. True
- B. False

Answer: A

NO.2 Which flash-based acceleration technologies in OceanProtect backup storage help improve backup and recovery performance? (Multiple Choice)

- A. Front-end network optimization
- B. Backend network optimization
- C. CPU calculation optimization
- D. Backup task scheduling optimization

Answer: ABCD

NO.3 Which AR supports POE power supply?

- A. NetEngine AR651
- B. NetEngine AR651W-8P
- C. NetEngine AR651W
- D. NetEngine AR6121

Answer: B

NO.4 How to publish L3VPN private network routes to the EVPN routing table? (Multiple choice)

- A. Configure tunnel-policy in the global VPN instance
- B. Configure vpn-target with evpn parameter in the global VPN instance
- C. Configure advertise 12vpn evpn in BGP VPN instance view
- D. Configure peer advertise encap-type SRv6 on the BGP EVPN neighbor

Answer: BC

NO.5 What does dual-active networking support? (Multiple Choice)

- A. IP
- B. SAS
- C. Infiniband
- D. FC

Answer: AD

NO.6 CampusInsight uses the SNMP protocol to collect data, rather than the industry's de facto standard StreamingTelemetry technology.

- A. True
- B. False

Answer: B

NO.7 iMaster NCE-Campus V300R02, which of the following description about the Yunshan device management and control-configuration consistency configuration synchronization/reconciliation

processing principle is correct? (Multiple choice)

- A.** Configurations that the device has but not the controller: The synchronization operation will synchronize the device configuration to the southbound configuration library of the controller; if the reconciliation deletion function is enabled, the reconciliation operation will delete the device-side configuration, otherwise the configuration will not change.
- B.** The controller has a configuration but the device does not. The configuration source is the controller scenario: the synchronization operation is invalid; the reconciliation operation delivers the incremental configuration to the device.
- C.** Synchronization is based on the device, and reconciliation is based on the controller.
- D.** Both the controller and the device have this configuration, but the configuration data is different (for example, different name configurations for the same VLAN number): The configuration source is the controller scenario, the synchronization operation covers the data on the controller side, and the reconciliation operation is issued and covers the device Configuration; the configuration source is the device scene, and the synchronization operation overwrites the controller-side data. If the reconciliation deletion function is enabled, the reconciliation operation will overwrite the device- side configuration; otherwise, there is no change in the configuration.

Answer: ABC

NO.8 What capabilities does iMaster NCE-Campus support? (Multiple choice)

- A.** Alarms and reports
- B.** User access management
- C.** Business accompanying
- D.** Network business management

Answer: ABCD

NO.9 In some special environments, more APs need to be used and the channels cannot be completely separated. You can consider appropriately reducing the transmit power of the APs to reduce interference.

- A.** True
- B.** False

Answer: A

NO.10 Create multiple IUNs in the storage system at the data center site. Some LUNs are used to run high-priority key services, and some LUNs are used to perform low-priority backup tasks. Which of the following technologies can ensure the normal operation of key tasks and prevent resources from being preempted by backup tasks?

- A.** SmartQos burst traffic control
- B.** SmartQos lower limit guarantee
- C.** Wear leveling
- D.** Anti-wear leveling

Answer: A

NO.11 Which of the following does OceanStor Pacific end-to-end load balancing include? (Multiple choice)

- A. Persistence layer load balancing
- B. Semantic layer load balancing
- C. Management and control layer load balancing
- D. Access layer load balancing

Answer: ABD

NO.12 SDN-WAN solution government affairs unified construction model, which of the following description about BGP protocol design is correct? (Multiple choice)

- A. The provincial network adopts the hierarchical RR deployment mode, and the provincial/municipal wide area core routes also serve as primary/secondary RR reflectors (routers can also be deployed separately to serve as independent RR);
- B. The city metro core establishes an EBGP neighbor advertisement route with the corresponding WAN route; the city metro aggregation establishes an IBGP neighbor with the city metro core.
- C. The provincial metropolitan area network core, provincial metropolitan area aggregation, and various municipal wide area core routers establish IBGP neighbors with the first-level RR (provincial wide-area core route); the other provincial networks establish IBGP neighbors with the second-level RRs nearby.
- D. The county metro area core and the corresponding county wide area router establish iBGP neighbor advertisement routes, or use static routing to advertise routes to each other.

Answer: ABC

NO.13 Which of the following statements about the access authentication feature in virtualization solutions are correct? (Multiple choice)

- A. Support built-in Radius server for 802.1X authentication
- B. Supports connection with external Radius server for 802.1X authentication
- C. Does not support third-party Portal server authentication
- D. Does not support portal page customization
- E. Supports linkage with MDM and terminal security inspection

Answer: ABE

NO.14 Regarding the recommended dual-Border shared egress deployment scenario in the park, which is the correct description? (Multiple Choice)

- A. Edge establishes BGP connections with two borders and creates VXLAN tunnels. Double RR is supported between Borders.
- B. Dual Borders form a VRRP dual machine and serve as DHCP Servers to allocate IP addresses for the management network.
- C. In a single campus scenario, two Borders are connected to the same network to achieve reliability in a non-stacked scenario. A maximum of 8 Borders is supported in the network.
- D. ECMP load sharing is formed between the Edge and the double border (the route priority can be adjusted as the primary and secondary routes).

Answer: ABCD

NO.15 Which of the following are the northbound ecological capabilities of DME Storage? (Multiple Choice)

- A. Support northbound RESTful interface to connect to CMP and other platforms
- B. Support SNMP interface access to centralized alarm management platform
- C. Support vCenter and CSI plugins to be integrated into the ecosystem
- D. Support SMI-S interface to connect with third-party network management

Answer: ABC

NO.16 In the SD-WAN network, the overlay topology of different service VPNs must be consistent.

- A. True
- B. False

Answer: B

NO.17 OceanProtect backup storage can be remotely sensed and managed by Veeam.

- A. True
- B. False

Answer: A

NO.18 It is generally more convenient to use the () method to generate threat events on the environment awareness service.

- A. Use tcpreplay tool to play back
- B. Write database
- C. Use real threat attacks

Answer: A

NO.19 SRv6 BE is different from MPLS labels. After the head node encapsulates the IPv6 header, SRv6EVPN L3VPN forwards the intermediate node completely based on IGP and finds routes through the shortest path algorithm in a fault-free scenario.

- A. True
- B. False

Answer: A

NO.20 Zhuyun IAM (zero trust agent, authentication service, permission service) reports () logs to the environment awareness service for score calculation. (Multiple choice)

- A. login
- B. API
- C. APP

Answer: ABC

NO.21 Regarding the multi-Hub scenario, which of the following descriptions is incorrect?

- A. Support multi-active Hub scenarios based on Spoke sites
- B. Branch interworking hubs in VPN can work in active-active mode
- C. Support multi-hub scenarios based on business network segments
- D. A VPN can select two Hubs from multiple Hubs as branch interworking Hubs

Answer: B

NO.22 iMasterNCE-CampusInsight's application assurance 360 can identify all applications, analyze network traffic in a granular manner, and gain insight into the composition of campus network traffic

- A. True
- B. False

Answer: A

NO.23 In the cloud bearer DCI solution, which of the following are reliability protection solutions for L3 services? (Multiple choice)

- A. TE HSB
- B. MC-LAG
- C. IP FRR
- D. VPN FRR

Answer: ACD

NO.24 Which of the following statement about the configuration of the firewall on NCE-Campus is correct? (Multiple choice)

- A. If you need to perform NAT translation through the firewall, you need to set it in the WAN configuration.
- B. When the firewall serves as a DHCP server for downstream devices, you need to configure a subnet in the LAN network and set the DHCP Option 148 parameters.
- C. The firewall security policy allows access to all network segments and ports by default.

Answer: AB

NO.25 Which of the following functions does the OceanStor Dorado FlashLink disk controller provide?
(Multiple Choice)

- A. Global 10 priority adjustment
- B. RAID reconstruction and uninstallation
- C. Global load balancing
- D. Global garbage collection

Answer: ABCD

NO.26 DME Storage can import customer-defined Python/Ansible change scripts and implement rapid orchestration based on these scripts to achieve service-oriented business changes.

- A. True
- B. False

Answer: A

NO.27 Reliability is the strength of OceanStor Dorado V6, especially when the controller fails. Which of the following measures would better compare differences between suppliers? (Multiple Choice)

- A. When observing the host side, the results cannot be displayed accurately because the storage side performance data sampling intervals are inconsistent.
- B. Use the same observation dimension

- C. Use the same I/O model, mixed reading, and writing
- D. Under the same conditions, pull out the controller to simulate controller failure.

Answer: BCD

NO.28 In government industry solutions, it is recommended to rent operator OTN/MSTP dedicated lines for WAN links, but it is not recommended to rent MPLS VPN dedicated lines.

- A. True
- B. False

Answer: A

NO.29 What are the wide area optimization technologies of SD-WAN? (Multiple Choice)

- A. Intelligent optimization
- B. Anti-packet loss optimization
- C. Transmission optimization
- D. Data optimization

Answer: ABCD

NO.30 Regarding WLAN Layer 2 networking, which of the following descriptions is correct? (Multiple choice)

- A. AP can directly discover AC through local broadcast
- B. Business data will definitely go through AC
- C. Suitable for complex and refined WLAN networking in large enterprises
- D. AC and AP are in the same broadcast domain

Answer: ABD

NO.31 Which of the following statements about Veeam ratings is incorrect?

- A. Backup server resources are occupied
- B. Only public cloud storage can be supported as a secondary backup device
- C. Backup software can directly restore long-term retained copies
- D. Policies are configured and managed on the backup software, and are hierarchically controllable and manageable.

Answer: B

NO.32 Which of the following filters is recommended to be used as a global configuration?

- A. Universal filter
- B. Hardware filter
- C. Software filters
- D. Protection object filter

Answer: B

NO.33 What deployment modes does CloudCampus support? (Multiple choice)

- A. Hybrid cloud deployment
- B. Huawei public cloud deployment

C. MSP self-built cloud deployment

D. Local deployment

Answer: BCD

NO.34 S switch V600R022 version, regarding the IPV6 RGuard implementation description, the incorrect one is ().

A. RA messages can carry a lot of network configuration information, including key network configuration information such as the default router, network prefix list, and whether to use a DHCPv6 server for stateful address allocation. The attacker modifies the network configuration of the user's host by sending forged RA messages, making it impossible for legitimate users to communicate normally. IPv6 RGuard provides a defense mechanism against RA message attacks, which can effectively prevent such network attacks.

B. Configure the user (host) or router (router) role for the interface, and the device then chooses to forward or discard RA messages based on the interface role.

C. If it is determined that the interface is connected to a user host, configure the interface role as user (host); if it is determined that the interface is connected to a router, the administrator can configure the interface role as router (router) according to the interface in the network. Version 22.0 also supports policy-based filtering of ND packets.

D. Version 22.0 also supports policy-based filtering of nd packets.

Answer: D

NO.35 Which of the following is not a network reliability protection technology?

A. Load sharing

B. VPN FRR

C. PCEP

D. TE HSB

Answer: C