

PassleaderVCE

PassLeaderVCE

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Wonderful Certification Exam Guide and Exam Dumps - PassLeaderVCE

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about PassLeaderVCE Practice Material ...

49316+ customers in 100+ countries use PassLeaderVCE Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleadervce.com/>

Wonderful Certification Exam Guide and Exam Dumps- PassLeaderVCE

Exam : **HPE2-T35**

Title : **Using HPE OneView**

Vendor : **HP**

Version : **DEMO**

NO.1 Which HPE OneView features are used by the HPE OneView for VMware vCenter plugin to simplify the process of deploying a complete vSphere cluster? (Choose two.)

- A. Intelligent Provisioning
- B. REST API
- C. Server Profile Templates
- D. Smart Update Manager
- E. PowerShell Library

Answer: C,E

NO.2 What can be used to query the server hardware portion of the HPE OneView appliance database?

- A. OpenSource Editor
- B. REST API
- C. SQL Connect Client
- D. JSON reader

Answer: B

NO.3 What are Benefits of using HPE OneView along with 3rd Party integrations? (Select two)

- A. Integrated management of 3rd Party software licenses
- B. Extensive management of 3rd Party server and storage devices
- C. Standardized templates to optimize industry standard applications
- D. Faster application development
- E. Simplified Infrastructure lifecycle operations

Answer: B,D

NO.4 Where would you go in the HPE OneView Main Menu to access information about the environment status that can be exported to csv?

- A. Reports
- B. Dashboard
- C. Activity
- D. Data Centers

Answer: A

NO.5 For multiple events to be identified as an SNMP trap storm, what criteria must the traps meet? (Choose three.)

- A. have the same hostname
- B. are within 1 second of the previous event
- C. originate from the same MAC addresses
- D. are from the same device
- E. have the same number of variable string values
- F. have the same trap identifier

Answer: D,E,F

NO.6 For each REST API operation, match the appropriate HTTP method to accomplish each task.

Method

Task

- DELETE
- GET
- POST
- PUT

Create resource

Delete resource

Read resource

Update resource

Answer:

Method

Task

- DELETE
- GET
- POST
- PUT

Create resource

Delete resource

Read resource

Update resource

Method

DELETE

GET

POST

PUT

Task

Create resource

POST

Delete resource

DELETE

Read resource

GET

Update resource

PUT

NO.7 Which functionality is enabled when a supported SAN Manager is added to HPE OneView?

- A. automated zoning
- B. local storage management
- C. VSA monitoring
- D. storage replication

Answer: A

NO.8 A system administrator needs to update the firmware in all Virtual Connect Flex-10/10D modules. This needs to be done during a maintenance window, when the servers are powered off. Which firmware activation setting performs the update in the shortest possible time?

- A. parallel
- B. custom
- C. odd/even
- D. serial

Answer: A

NO.9 Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.

Settings

Appliance >
 Firmware: 4.00.05-0325661
 Appliance status: ● OK
 Update appliance
 Create support dump

Backup >
 Frequency: not set
 Last downloaded backup created at: Jan 12 8:29:12 am (13 days ago)
 Current backup created at: none
 Create backup

Networking >
 Network Status
 Host name: ...
 Appliance IP address: ...
 Gateway address: ...
 Primary DNS: ...

Time and Locale >
 Time: 1/25/18 10:54:35 am (UTC -0600)
 Locale: English (United States)

Proxy >
 not set

Licenses >
 Licenses: none
 Add

Security >
 Directories: Local default
 Manage certificates

Notifications >
 Alert email filters: Disabled
 Filters: none

Scopes >
 none
 Create scope

Activity >

SNMP >

Addresses and Identifiers >

Answer:

Settings

Appliance >
 Firmware: 4.00.05-0325661
 Appliance status: ● OK
 Update appliance
 Create support dump

Backup >
 Frequency: not set
 Last downloaded backup created at: Jan 12 8:29:12 am (13 days ago)
 Current backup created at: none
 Create backup

Networking >
 Network Status
 Host name: ...
 Appliance IP address: ...
 Gateway address: ...
 Primary DNS: ...

Time and Locale >
 Time: 1/25/18 10:54:35 am (UTC -0600)
 Locale: English (United States)

Proxy >
 not set

Licenses >
 Licenses: none
 Add

Security >
 Directories: Local default
 Manage certificates


Notifications >
 Alert email filters: Disabled
 Filters: none

Scopes >
 none
 Create scope


Activity >

SNMP >

Addresses and Identifiers >



NO.10 A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.



Answer:

OneView Search [3] [User] [?]

Server Profiles 5 All statuses All labels All resources 5 matches out of 5

+ Create profile

- ESX 3
- ESX 4**
- HYPERV 1
- HYPERV 2
- HYPERV FARM_D 5

ESX 4 Overview [Actions]

General >

Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10 1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCGOEEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
iSCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

Firmware >

OneView Search [3] [User] [?]

Server Profiles 5 All statuses All labels All resources 5 matches out of 5

+ Create profile

- ESX 3
- ESX 4**
- HYPERV 1
- HYPERV 2
- HYPERV FARM_D 5

ESX 4 Overview [Actions]

General >

Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10 1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCGOEEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
iSCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

Firmware >

NO.11 Which HPE server platforms can be managed using HPE OneView? (Choose two.)

- A. HPE Moonshot
- B. HPE ProLiant BL
- C. HPE ProLiant DL
- D. HPE Edgeline
- E. HPE Integrity

Answer: B,C

NO.12 What is the recommended process order for configuring a c-Class BladeSystem in HPE OneView?

Processes

- add enclosure
- create and assign Server Profiles from template
- create Enclosure Group (EG)
- create Logical Interconnect Group (LIG)
- create networks
- create Server Profile Template

Correct Order

Answer:

Processes

- add enclosure
- create and assign Server Profiles from template
- create Enclosure Group (EG)
- create Logical Interconnect Group (LIG)
- create networks
- create Server Profile Template

Correct Order

- create networks
- create Logical Interconnect Group (LIG)
- create Enclosure Group (EG)
- add enclosure
- create Server Profile Template
- create and assign Server Profiles from template

Processes

- add enclosure
- create and assign Server Profiles from template
- create Enclosure Group (EG)
- create Logical Interconnect Group (LIG)
- create networks
- create Server Profile Template

Correct Order

- create networks
- create Logical Interconnect Group (LIG)
- create Enclosure Group (EG)
- add enclosure
- create Server Profile Template
- create and assign Server Profiles from template